

English



Nano Soldering station Ref. NANE-B




Cable

collector

Packing List

The following items should be included:





Features





Tool Holder assembly













Changing the tip cleaning system







Changing cartridges


Save time and change cartridges safely without having to switch the station off.

Removing









Aligning

Place the cartridge in the slot as shown and pull the handle to remove it.

Push the cartridge into the handle to the mark*.

Use the holes to rotate the cartridges for a proper alignment.

*Important


It is essential to insert the cartridges as far as the mark for a proper connection.

Mark

Compatible cartridges

The NANE-B station works with C105 cartridge range.

See the full range in **www.jbctools.com** and find the model that best suits your soldering needs.



All the cartridges shown are actual size. All measurements are in millimiters (mm). Contact JBC if you need alternative shapes.

4

5



Operation

The JBC Exclusive Heating System

Our revolutionary technology is able to recover tip temperature extremely quickly. It means the user can work at a lower temperature and improve the quality of soldering. Tip temperature is further reduced thanks to the Sleep and Hibernation modes which increase tip life by 5.

2. Sleep






When the tool is lifted from the holder the tip will heat up to the selected temperature.

Ŵ




180°C / 360°F (preset sleep temperature).



Tools Menu:

- · Set temperature limits
- · Select temperature levels



Tools Menu:

· Set Sleep temperature · Set Sleep delay (from 0 to 9 min or no Sleep)



Tools Menu:

3. Hibernation

Long time in

After longer periods of

inactivity (pre-set to 30 min.),

the power is cut off and the

tool cools down to room


the holder

temperature.

· Set Hibernation delay (from 0 to 60 min or no hibernation)

Work Screen

The NANE-B offers an intuitive user interface which provides quick access to station parameters.






Process analysis



By pressing **Graphics** in the main MENU, temperature and power figures in real time are displayed for each port. This helps you decide which tip to use to obtain the best quality solder joint.

Graphics



Insert a USB flash drive into the USB-A connector to save your soldering process in csv format.



Soldering Net


Remotely manage and monitor as many stations as your PC can handle.

1. Download the JBC Manager software and the user manual from www.jbctools.com/manager.html

- 2. Connect the stations via USB-B connector and the PC will automatically detect them.
- **3.** The notification will be displayed on the station.

Functions:

- Set all the station parameters from your PC.
- Organize groups of stations and set all their parameters at the same time.
- Store specific configurations for later use.
- Analyze the soldering graphics of the stations on your PC and export them.






Working with Robots


Manage and monitor the station using a Robotic system.

- 1. Connect the tool to the port and connect your Robot system to the Robot connector (RJ12). DB9-RJ12 Adapater available only if necessary (Ref: 0013772).
- 3. Enable the Robot option in the station settings and the notification will be displayed: arL
- 4. Set your Robot's commands according to the Robot Communication Protocol, available on the website www.jbctools.com/jbcsoftware-menu-115.html.



Update the station software

1. Download the JBC Updater software from www.jbctools.com/software.html and save it on a USB flash drive. Preferably one with no other files.



2. Insert the USB flash drive. The icon \bigcirc is diplayed while updating.



Maintenance

Before carrying out maintenance, always allow the equipment to cool.

Clean


periodically

- Clean the station screen with a glass cleaner or a damp cloth.
- Use a damp cloth to keep the casing and the tool clean. Alcohol can only be used to clean the metal parts.
- Periodically check that the metal parts of the tool and stand are clean so that the station can detect the tool status.
- Maintain tip surface clean and tinned prior to storage in order to avoid tip oxidation.
 Rusty and dirty surfaces reduce heat transfer to the solder joint.
- Periodically check all cables and tubes.
- Replace a blown fuse as follows:



1. Pull off the fuse holder and remove the fuse. If necessary use a tool to lever it off.





2. Press the new fuse into the fuse holder and replace it in the station.

Replace any defective or damaged pieces. Use original JBC spare parts only.Repairs should only be performed by a JBC authorized technical service.




Safety

It is imperative to follow safety guidelines to prevent electric shock, injury, fire or explosion.

- Do not use the units for any purpose other than soldering or rework. Incorrect use may cause fire.
- The power cord must be plugged into approved bases. Be sure that it is properly grounded before use. When unplugging it, hold the plug, not the wire.
- Do not work on electrically live parts.
- The tool should be placed in the stand when not in use in order to activate the sleep mode. The soldering tip, the metal part of the tool and the stand may still be hot even when the station is turned off. Handle with care.
- Do not leave the appliance unattended when it is on.
- Do not cover the ventilation grills. Heat can cause inflamable products to ignite.
- Use a "non residue" classified flux and avoid contact with skin or eyes to prevent irritation.
- Be careful with the fumes produced when soldering.
- Keep your workplace clean and tidy. Wear appropriate protective glasses and gloves when working to avoid personal harm.
- Utmost care must be taken with liquid tin waste which can cause burns.
- This appliance can be used by children over the age of eight and also persons with reduced physical, sensory or mental capabilities or lack of experience provided that they have been given adequate supervision or instruction concerning use of the appliance and understand the hazards involved. Children must not play with the appliance.
- Maintenance must not be carried out by children unless supervised.







Specifications

NANE-1B 120V 50/60Hz. Input fuse: 0.5A. Output: 8.5V NANE-2B 230V 50/60Hz. Input fuse: 0.2A. Output: 8.5V

NANE-9B 100V 50/60Hz. Input fuse: 0.5A. Output: 8.5V

- Weight: 1.8 Kg (4.0 lb)
- Dimensions: 170 x 90 x 135mm
- Output Peak Power: 14W per tool
- Temperature Range: 90-450°C (190-840°F) ±5%
- Idle Temp. Stability (still air): ±3 °C (±5.5 °F)
- Tip to ground resistance: <2 ohms
- Ambient Operating Temperature: 10-40 °C (50-104 °F)
- USB-A / USB-B / Pedal connectors
- RJ12 connector for Robot

Complies with CE standards ESD protected housing "skin effect"



Warranty

JBC's 2 year warranty covers this equipment against all manufacturing defects, including the replacement of defective parts and labour. Warranty does not cover product wear due to use or mis-use.

In order for the warranty to be valid, equipment must be returned, postage paid, to the dealer where it was purchased.



This product should not be thrown in the garbage.

In accordance with the European directive 2002/96/EC, electronic equipment at the end of their life must be collected and returned to an authorized recycling facility.

0016765-0915

www.jbctools.com